

RAM 2500 - 4X2 - REG CAB - ST - 8' BOX											
Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
					Total	Front	Rear	Front	Rear		
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	10000	4010	5988	3400	2587	5500	6000	22000	15540
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	10000	4010	5988	3400	2587	5500	6000	24200	17740
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	9900	3910	5988	3400	2587	5500	6000	22000	15540
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	9900	3910	5988	3400	2587	5500	6000	24200	17740
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	10000	3150	6850	4220	2629	5500	6000	27320	19990
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	9900	3050	6850	4220	2629	5500	6000	27320	19990

2022 Ram 2500 (DJ) 4x2 Weight and Tow Chart

RAM 2500 - 4X2 - CREW CAB - ST - 6'4" RAMBOX											
Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
					Total	Front	Rear	Front	Rear		
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	10000	3540	6456	3554	2902	5500	6000	22000	15070
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	10000	3540	6456	3554	2902	5500	6000	24200	17270
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	9900	3440	6456	3554	2902	5500	6000	22000	15070
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	9900	3440	6456	3554	2902	5500	6000	24200	17270
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	10000	2660	7339	4367	2971	5500	6000	27700	19240
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	9900	2610	7293	4262	3031	5500	6000	27700	18820

2022 Ram 2500 (DJ) 4x2 Weight and Tow Chart

RAM 2500 - 4X2 - CREW CAB - ST - 6'4" STANDARD BOX											
Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
					Total	Front	Rear	Front	Rear		
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	10000	3660	6339	3560	2779	5500	6000	22000	15190
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	10000	3660	6339	3560	2779	5500	6000	24200	17390
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	9900	3560	6343	3559	2783	5500	6000	22000	15190
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	9900	3560	6343	3559	2783	5500	6000	24200	17390
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	10000	2770	7229	4396	2832	5500	6000	27700	20000
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	9900	2680	7223	4386	2836	5500	6000	27700	20000

2022 Ram 2500 (DJ) 4x2 Weight and Tow Chart

RAM 2500 - 4X2 - CREW CAB - ST - 8' BOX											
Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
					Total	Front	Rear	Front	Rear		
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	10000	3530	6470	3684	2785	5500	6000	22000	15060
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	10000	3530	6470	3684	2785	5500	6000	24200	17260
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	9900	3420	6477	3688	2789	5500	6000	22000	15050
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	9900	3420	6477	3688	2789	5500	6000	24200	17250
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	10000	2630	7368	4528	2840	5500	6000	27840	20000
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	9900	2520	7377	4534	2843	5500	6000	27840	19990

2022 Ram 2500 (DJ) 4x2 Weight and Tow Chart

NOTES

<p>Payload and Max Trailer Weights are ESTIMATED values.</p>
<p>All values are shown in pounds unless otherwise stated.</p>
<p>Payload and Max Trailer Weight values are rounded to the nearest 10lb.</p>
<p>Payload = GVWR – Base Weight</p>
<p>Payload and Trailer Weight Rating are mutually exclusive.</p>
<p>GAWRs, GVWRs and GCWRs should never be exceeded.</p>
<p>Trailer Weight Rating and Tow Vehicle Trailing Weight are calculated as specified in SAE J2807.</p>
<p>Passenger Weight = 300 lb</p>
<p>Options Weight = 100 lb</p>
<p>Trailing Equipment Weight: 75 lb for Conventional Hitch, 70 lb for Gooseneck and 250 lb for 5th Wheel.</p>
<p>Tongue weight: 10 percent of the gross trailer weight for Conventional Hitch, 15 percent of the gross trailer weight for a 5th Wheel or Gooseneck hitch.</p>
<p>Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailing equipment and tongue weight.</p>
<p>Box Off Body Completion Weight = 80 lb per foot from end of cab to end of fram</p>
<p>A fifth-wheel hitch is required for trailers over 23,000 lbs.</p>
<p>A Gooseneck hitch is required for trailers over 30,000 lbs.</p>

2022 Ram 2500 (DJ) 4x2 Weight and Tow Chart