

RAM 2500 - 4X2 - REG CAB - ST - 8' BOX											
Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
					Total	Front	Rear	Front	Rear		
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	10000	4000	6001	3409	2592	5500	6000	22000	15530
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	10000	4000	6001	3409	2592	5500	6000	24200	17730
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	9900	3900	6001	3409	2592	5500	6000	22000	15530
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	9900	3900	6001	3409	2592	5500	6000	24200	17730
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	10000	3140	6861	4227	2634	5500	6000	27320	19980
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	9900	3030	6867	4234	2633	5500	6000	27320	19980

2023 Ram 2500 (DJ) 4x2 Weight and Tow Chart

**RAM 2500 - 4X2 - CREW CAB - ST - 6'4" STANDARD BOX**

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
					Total	Front	Rear	Front	Rear		
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	10000	3650	6353	3569	2783	5500	6000	22000	15180
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	10000	3650	6353	3569	2783	5500	6000	24200	17380
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	9900	3540	6356	3568	2788	5500	6000	22000	15170
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	9900	3540	6356	3568	2788	5500	6000	24200	17370
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	10000	2760	7240	4403	2837	5500	6000	27700	19980
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	9900	2660	7240	4400	2839	5500	6000	27700	19980

**2023 Ram 2500 (DJ) 4x2 Weight and Tow Chart**

RAM 2500 - 4X2 - CREW CAB - ST - 8' BOX											
Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max Trailer
					Total	Front	Rear	Front	Rear		
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	10000	3520	6483	3693	2790	5500	6000	22000	15050
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	10000	3520	6483	3693	2790	5500	6000	24200	17250
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	3.73	9900	3410	6491	3697	2793	5500	6000	22000	15040
6.4L V8 HEAVY DUTY HEMI MDS	8-SPD AUTO 8HP75-LCV	4.10	9900	3410	6491	3697	2793	5500	6000	24200	17240
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	10000	2620	7380	4535	2844	5500	6000	27840	19980
6.7L I6 CUMMINS TURBO DIESEL	6-SPD AUTOMATIC 68RFE	3.73	9900	2510	7394	4548	2846	5500	6000	27840	19970

2023 Ram 2500 (DJ) 4x2 Weight and Tow Chart

<b>NOTES</b>
<p>Payload and Max Trailer Weights are ESTIMATED values.</p>
<p>All values are shown in pounds unless otherwise stated.</p>
<p>Payload and Max Trailer Weight values are rounded to the nearest 10lb.</p>
<p>Payload = GVWR – Base Weight</p>
<p>Payload and Trailer Weight Rating are mutually exclusive.</p>
<p>GAWRs, GVWRs and GCWRs should never be exceeded.</p>
<p>Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807.</p>
<p>Passenger Weight = 300 lb</p>
<p>Options Weight = 100 lb</p>
<p>Trailering Equipment Weight: 75 lb for Conventional Hitch, 70 lb for Gooseneck and 250 lb for 5th Wheel.</p>
<p>Tongue weight: 10 percent of the gross trailer weight for Conventional Hitch, 15 percent of the gross trailer weight for a 5th Wheel or Gooseneck hitch.</p>
<p>Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and tongue weight.</p>
<p>Box Off Body Completion Weight = 80 lb per foot from end of cab to end of fram</p>
<p>A fifth-wheel hitch is required for trailers over 23,000 lbs.</p>
<p>A Gooseneck hitch is required for trailers over 30,000 lbs.</p>

**2023 Ram 2500 (DJ) 4x2 Weight and Tow Chart**