

2019 RAM 2500 Trailer Towing Chart - SAE J2807 Compliant

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer
					Total	Front	Rear	Front	Rear		
RAM 2500 4X2 REG TRADESMAN 8' BOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	4,050	5,953	3,398	2,555	5,500	6,000	21,500	15,080
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	4,050	5,953	3,398	2,555	5,500	6,000	24,000	17,580
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	3,260	6,741	4,129	2,612	5,500	6,000	27,000	19,780
RAM 2500 4X2 REG TRADESMAN 8' BOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	3,950	5,953	3,398	2,555	5,500	6,000	21,500	15,080
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	3,950	5,953	3,398	2,555	5,500	6,000	24,000	17,580
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	3,160	6,741	4,129	2,612	5,500	6,000	27,000	19,780
RAM 2500 4X2 CREW TRADESMAN W RAMBOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	3,530	6,473	3,554	2,919	5,500	6,000	21,500	14,560
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	3,530	6,473	3,554	2,919	5,500	6,000	24,000	17,060
RAM 2500 4X2 CREW TRADESMAN 6.4' BOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	3,650	6,345	3,558	2,787	5,500	6,000	21,500	14,680
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	3,650	6,345	3,558	2,787	5,500	6,000	24,000	17,180
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	2,820	7,176	4,276	2,900	5,500	6,000	27,000	19,350
RAM 2500 4X2 CREW TRADESMAN RAMBOX											
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	2,700	7,304	4,256	3,048	5,500	6,000	27,000	18,700
RAM 2500 4X2 CREW TRADESMAN RAMBOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	3,430	6,473	3,554	2,919	5,500	6,000	21,500	14,560
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	3,430	6,473	3,554	2,919	5,500	6,000	24,000	17,060
RAM 2500 4X2 CREW TRADESMAN 6.4' BOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	3,550	6,345	3,558	2,787	5,500	6,000	21,500	14,680
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	3,550	6,345	3,558	2,787	5,500	6,000	24,000	17,180
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	2,740	7,159	4,258	2,901	5,500	6,000	27,000	19,370
RAM 2500 4X2 CREW TRADESMAN RAMBOX CANADA ONLY											
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	2,600	7,304	4,256	3,048	5,500	6,000	27,000	18,700
RAM 2500 4X2 CREW TRADESMAN 8' BOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	3,550	6,453	3,678	2,774	5,500	6,000	21,500	14,580
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	3,550	6,453	3,678	2,774	5,500	6,000	24,000	17,080
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	2,680	7,324	4,473	2,850	5,500	6,000	27,000	19,200
RAM 2500 4X2 CREW TRADESMAN 8' BOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	3,450	6,453	3,678	2,774	5,500	6,000	21,500	14,580
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	3,450	6,453	3,678	2,774	5,500	6,000	24,000	17,080
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	2,580	7,322	4,469	2,853	5,500	6,000	27,000	19,200

2019 RAM 2500 Trailer Towing Chart - SAE J2807 Compliant

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer
					Total	Front	Rear	Front	Rear		
RAM 2500 4X4 MEGA BIG HORN/LONE STAR RAMBOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	2,820	7,180	4,039	3,141	5,500	6,390	21,500	13,850
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	2,820	7,180	4,039	3,141	5,500	6,390	24,000	16,350
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	1,980	8,018	4,820	3,199	6,000	6,040	25,265	15,070
RAM 2500 4X4 MEGA BIG HORN/LONE STAR 6.4' BOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	2,970	7,035	4,041	2,994	5,500	6,390	21,500	14,000
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	2,970	7,035	4,041	2,994	5,500	6,390	24,000	16,500
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	2,130	7,873	4,822	3,052	6,000	6,040	25,265	16,520
RAM 2500 4X4 MEGA BIG HORN/LONE STAR RAMBOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	2,720	7,180	4,039	3,141	5,500	6,390	21,500	13,850
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	2,720	7,180	4,039	3,141	5,500	6,390	24,000	16,350
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	1,880	8,018	4,820	3,199	6,000	6,040	25,265	14,070
RAM 2500 4X4 MEGA BIG HORN/LONE STAR 6.4' BOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	2,870	7,035	4,041	2,994	5,500	6,390	21,500	14,000
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	2,870	7,035	4,041	2,994	5,500	6,390	24,000	16,490
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	2,030	7,873	4,822	3,052	6,000	6,040	25,265	15,520
RAM 2500 4X4 REG TRADESMAN 8' BOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	3,680	6,317	3,696	2,620	5,500	6,000	21,500	14,710
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	3,680	6,317	3,696	2,620	5,500	6,000	24,000	17,210
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	2,830	7,173	4,494	2,678	5,750	6,000	27,000	19,350
RAM 2500 4X4 REG TRADESMAN 8' BOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	3,570	6,329	3,704	2,625	5,500	6,000	21,500	14,700
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	3,570	6,329	3,704	2,625	5,500	6,000	24,000	17,200
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	2,720	7,179	4,498	2,681	5,750	6,000	27,000	19,350
RAM 2500 4X4 CREW TRADESMAN RAMBOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	3,230	6,767	3,831	2,936	5,500	6,000	21,500	14,260
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	3,230	6,767	3,831	2,936	5,500	6,000	24,000	16,760
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	2,360	7,638	4,632	3,006	5,750	6,000	27,000	18,870
RAM 2500 4X4 CREW TRADESMAN 6.4' BOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	3,380	6,623	3,828	2,795	5,500	6,000	21,500	14,410
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	3,380	6,623	3,828	2,795	5,500	6,000	24,000	16,910
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	2,520	7,485	4,628	2,857	5,750	6,000	27,000	19,040

2019 RAM 2500 Trailer Towing Chart - SAE J2807 Compliant

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer
					Total	Front	Rear	Front	Rear		
RAM 2500 4X4 CREW ST PWR-WAGON RAMBOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	8,565	1,510	7,052	4,078	2,974	4,750	6,200	18,000	10,380
RAM 2500 4X4 CREW ST PWR-WAGON 6.4' BOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	8,565	1,660	6,907	4,080	2,827	4,750	6,200	18,000	10,620
RAM 2500 4X4 CREW TRADESMAN RAMBOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	3,130	6,767	3,831	2,936	5,500	6,000	21,500	14,260
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	3,130	6,767	3,831	2,936	5,500	6,000	24,000	16,760
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	2,250	7,653	4,647	3,006	5,750	6,000	27,000	17,720
RAM 2500 4X4 CREW TRADESMAN 6.4' BOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	3,280	6,622	3,833	2,790	5,500	6,000	21,500	14,410
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	3,280	6,622	3,833	2,790	5,500	6,000	24,000	16,910
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	2,380	7,516	4,647	2,869	5,750	6,000	27,000	19,010
RAM 2500 4X4 CREW TRADESMAN 8' BOX											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	10,000	3,190	6,805	3,989	2,816	5,500	6,000	21,500	14,220
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	10,000	3,190	6,805	3,989	2,816	5,500	6,000	24,000	16,720
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	10,000	2,340	7,660	4,766	2,895	5,750	6,000	25,525	17,390
RAM 2500 4X4 CREW TRADESMAN 8' BOX CANADA ONLY											
6.4L V8 Hemi with MDS	8HP75 8 Speed	3.73	9,900	3,090	6,811	3,993	2,819	5,500	6,000	21,500	14,220
6.4L V8 Hemi with MDS	8HP75 8 Speed	4.10	9,900	3,090	6,811	3,993	2,819	5,500	6,000	24,000	16,720
6.7L I6 Cummins Diesel	68RFE 6 Speed	3.73	9,900	2,230	7,666	4,769	2,897	5,750	6,000	25,525	17,380

NOTES:

Payload and Max Trailer Weights are ESTIMATED values
 All values are shown in pounds unless otherwise stated
 Payload and Max Trailer Weight values are rounded to the nearest 10 lbs
 Payload = GVWR - Base Weight
 GAWRs, GVWRs, and GCWRs should never be exceeded
 Recommended tongue weight determined by class hitch receiver and hardware limits of upfit
 Upfit or Aftermarket equipment weight not included in Base Weight

 Indicates Max Payload/Trailer Weight